## **WEST Search History**

Hide Items	Restore	Clear	Close

DATE: Friday, November 12, 2010

Hide? Set Name Query		Hit Count	
Prior A		WORK WOOD FRANCE AND A DATE OF A DATE	
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ			
	L17	L15 and (layered silicate).clm.	1
	L16	L15 and (silicate particles).clm.	0
	L15	L10 and silicate.clm.	44
	L14	L10 and silicate.clm	0
	L13	L10 and silicate.in.	0
	L12	L11 and phyllosilicate	2
	L11	L10 and stent	155
	L10	zhong.in.	22063
	L9	L8 and (@rlad<"20040212" or @ad<"20040212")	7
	L8	L7 and ((coat\$3 or layer) same (hydrophilic or albumin or carbohydrate or polyester))	24
	L7	L6 and ((coat\$3 or layer) same ((silicate particle) or phyllosilicate))	26
	L6	L4 and ((coat\$3 or layer) same (hydrophobic or olefin or styrene or vinyl or acrylic or polyamide or polyester or polyetherketones or polyurethane or siloxane or polysulfone or polyethersulfone))	12711
	L5	L4 and (coat\$3 or layer) same (hydrophobic or olefin or styrene or vinyl or acrylic or polyamide or polyester or polyetherketones or polyurethane or siloxane or polysulfone or polyethersulfone)	12711
	L4	stent	63030
	L3	10/777802.app.	1
	L2	6743463.pn.	2

L1 END OF SEARCH HISTORY

5998528.pn.